Enrolment No.\_\_\_\_\_

Date: 19-06-2014

**Total Marks: 70** 

Seat No.: \_\_\_\_\_

## **GUJARAT TECHNOLOGICAL UNIVERSITY** BE - SEMESTER- 1<sup>st</sup> / 2<sup>nd</sup> • EXAMINATION - SUMMER • 2014

## Subject Code: 110008 Subject Name: Mathematics - I

## Time: 02:30 pm - 05:30 pm

Instructions:

- 1. Attempt any five questions.
- 2. Make suitable assumptions wherever necessary.
- 3. Figures to the right indicate full marks.

Q. 1. (a) (i) Given that 
$$1 - \frac{x^2}{4} \le u(x) \le 1 + \frac{x^2}{2}$$
,  $x \ne 0$  find  $\lim_{x \to 0} u(x)$  [2]

$$\frac{b-a}{1+b^2} < \tan^{-1}b - \tan^{-1}a < \frac{b-a}{1+a^2} , \quad 0 < a < b$$

(b) Expand 
$$\tan^{-1}\left(\frac{\sqrt{1+x^2}-1}{x}\right)$$
 in powers of x, using Maclaurin's Series. [4]

(c) Express 
$$\cos(a + h)$$
 as a series in powers of h and hence evaluate  $\cos 44^{\circ}$ . [4]

Q. 2. (a) (i) Find the equation of the tangent plane and normal line to the surface [2] 
$$x^3 + 2xy^2 - 7z^2 + 3y + 1 = 0$$
 at (1, 1, 1).

(ii) Discuss the continuity of the function 
$$f(x, y) = \frac{xy}{x^2 + y^2}$$
;  $(x, y) \neq (0, 0)$  [4]

$$= 0; \qquad (x, y) = (0, 0)$$

1

[6]

(b) State Euler's theorem on homogeneous function. If  $u = \sin^{-1} \left( \frac{x+y}{\sqrt{x}+\sqrt{y}} \right)$ , prove that [4]

(i) 
$$x\frac{\partial u}{\partial x} + y\frac{\partial u}{\partial y} = \frac{1}{2}\tan u$$
  
(ii)  $x^2\frac{\partial^2 u}{\partial x^2} + 2xy\frac{\partial^2 u}{\partial x\partial y} + y^2\frac{\partial^2 u}{\partial y^2} = -\frac{\sin u\cos 2u}{4\cos^3 u}$ 

(c) If 
$$x = r \cos \theta$$
 and  $y = r \sin \theta$  by finding J and J' separately, show that  $JJ' = 1$ . [4]

## Q. 3. (a) Discuss the convergence of the following series.

(i) 
$$\sum \frac{2+3\cos n}{n^3}$$
 (ii)  $\sum ne^{-n^2}$  (iii)  $\sum \frac{(-1)^{n-1}}{n\sqrt{n}}$ 

(b		
(c	$x = a(\theta - \sin\theta), y = a(1 - \cos\theta)$ about its base.	[4]
Q. 4. (a	(i) Evaluate $\lim_{x \to a} \frac{\log(e^x - e^a)}{\log(x - a)}$	[2]
	(ii) Evaluate $\iint_{A} y  dx  dy$ where A is the region bounded by the parabolas	[4]
	$y^2 = 4x \text{ and } x^2 = 4y$	
(b	Evaluate $\int_{0}^{3} \int_{1}^{\sqrt{4-y}} (x+y) dx dy$ by changing the order of integration.	[4]
(c		[4]
Q. 5. (a	<ul> <li>(i) For f(x) = x<sup>2</sup>, x ∈ [1, 5], find U(f, P) and L(f, P) for P = {1, 2, 3, 4, 5}</li> <li>(ii) Find the area common to the circles r = a and r = 2acosθ using double integration.</li> </ul>	[2] [4]
(b		[4]
(c	Evaluate $\iiint z(x^2 + y^2) dv$ over the volume of the cylinder $x^2 + y^2 = 1$ intercepted by the planes $z = 2$ and $z = 3$ .	[4]
Q. 6. (a	(i) If $\overline{F} = (y^2 - z^2 + 3yz - 2x)i + (3xz + 2xy)j + (3xy - 2xz + 2z)k$ , then show that $\overline{F}$ is a solenoidal.	[2]
	(ii) Find the directional derivative of $e^{2x-y+z}$ at the point $(1, 1, -1)$ in a direction towards the point $(-3, 5, 6)$	[4]
(b	Show that $\overline{F} = y^2 z^3 i + 2xyz^3 j + 3xy^2 z^2 k$ is a conservative vector field and find the corresponding potential function.	[4]
(c	Verify that $\nabla \times (\nabla \times \overline{F}) = \nabla (\nabla \cdot \overline{F}) - \nabla^2 \overline{F}$ of the vector field,	[4]
	$\overline{\mathbf{F}} = 3x\mathbf{z}^2\mathbf{i} - y\mathbf{z}\mathbf{j} + (x+2\mathbf{z})\mathbf{k}$	
Q. 7. (a	(i) Check the convergence of the integral $\int_{1}^{\infty} \frac{\sin^2 x}{x^2} dx$	[2]
	(ii) Verify Green's theorem for $\oint_C (3x - 8y^2) dx + (4y - 6xy) dy$ , where C is	[4]
	the boundary of triangle with vertices $(0, 0)$ , $(1, 0)$ and $(0, 1)$ .	
(b	Verify Stokes theorem for $\overline{F} = (2x - y)i - yz^2j - y^2zk$ , where S is the upper half of the sphere $x^2 + y^2 + z^2 = 1$ and C is its boundary.	[4]
(c	2 2 2	[4]