Enrolment No.

## **GUJARAT TECHNOLOGICAL UNIVERSITY** BE SEMESTER- 1<sup>st</sup>/2<sup>nd</sup> (NEW SYLLABUS) EXAMINATION - SUMMER 2015 Subject Code: 2110015 Date:15/06/2015 Subject Name: Vector Calculus and Linear Algebra Time:10.30am-01.00pm **Total Marks: 70 Instructions:** 1. Question No. 1 is compulsory. Attempt any four out of remaining Six questions. 2. Make suitable assumptions wherever necessary. 3. Figures to the right indicate full marks. Answer the following MCQ 07 **Q.1 (a)** 1. The angle between u = (-1,1,2,-2) and v = (2,-1,-1,3) is\_\_\_\_\_ 3 rad (a) (c) 2.68 rad 3.68 rad (b) (d) 2 rad 2. Which of the following matrix is orthogonal? (c) $\begin{bmatrix} 1/9 & \sqrt{8}/9 \\ \sqrt{5}/9 & 2/9 \end{bmatrix}$ (d) $\begin{bmatrix} 2 & 3 \\ 4 & 1 \end{bmatrix}$ (a) $\sqrt{3}/2$ 1/2 $\left| -\frac{1}{2} \sqrt{3} / 2 \right|$ $\begin{bmatrix} 1 & -2 \end{bmatrix}$ (b) 3. If a square matrix A is involutory then $A^2 =$ \_\_\_\_\_ (c) $\boldsymbol{A}^{T}$ (a) A (d) $A^{-1}$ (b) Ι 4. A homogeneous system of equations have at least \_\_\_\_\_\_\_ solutions (a) 1 (c) 3 (b) (d) 2 4 5. The rank of $\begin{bmatrix} 1 & 3 & 6 \\ 2 & 1 & 6 \end{bmatrix}$ is (a) (c) 3 1 (b) 2 (d) No rank If 3 is the eigen value of A then the eigen value of A + 3I is 6. (a) 9 (c) 0 6 (d) 27 (b) Which of the following is a subspace of $\mathbf{R}^2$ under standard operations 7. (a) (c) $\boldsymbol{R}^{3}$ $M_{22}$ (b) (d) R $P_{2}$ Attempt the following MCQ 07 **(b)** If R is a vector space then which of the following is a trivial subspace of R? 1. $\{\overline{0}\}$ {ō,ī} (a) (c) $\{i\}$ (b) R (d) The set $S = \{1, x, \chi^2\}$ spans which of the following? 2. (c) (a) $\boldsymbol{R}^2$ $P_{2}$ (d) *R* (b) $M_{22}$ The dimension of the solution space of x - 3y = 0 is\_\_\_\_\_ 3. (a) 1 (c) (b) 2 (d) 4. The mapping $T: \mathbb{R}^3 \to \mathbb{R}^3$ defined by $T(V_1, V_2, V_3) = (V_1, V_2, 0)$ is called as (a) Reflection (c) Rotation

(b) Magnification (d) Projection

If  $\langle \overline{u}, \overline{v} \rangle = 9 \mathcal{U}_1 \mathcal{V}_1 + 4 \mathcal{U}_2 \mathcal{V}_2$  is the inner product on  $\mathbf{R}^2$  then it is generated by 5. (a) $\begin{bmatrix} 2 & 0 \\ 0 & 3 \end{bmatrix}$ (c) $\begin{bmatrix} 0 & 2 \\ 3 & 0 \end{bmatrix}$ (b) $\begin{bmatrix} 3 & 0 \\ 0 & 2 \end{bmatrix}$ (d) $\begin{bmatrix} 0 & 3 \\ 2 & 0 \end{bmatrix}$ 6. The divergence of  $\overline{F} = xyzi + 3\chi^2 yj + (x\chi^2 - y^2 z)k$  at (2,-1,1) is (a)  $y_z + 3x + 2x_z$ (b)  $y_z + x_y$ (c)  $y_z + 3x^2 + (2x_z - y^2)$ (c)  $y_z + 3x^2 + (2x_z - y^2)$ (c)  $y_z + 3x^2 + (2x_z - y^2)$ If  $\overline{F}$  is conservative field then  $curl \overline{F} =$ 7. (a) *i* (c) k(d)  $\overline{0}$ (b) *j* Is  $A = \begin{bmatrix} 2 & 2 & 1 \\ -2 & 1 & 2 \\ 1 & -2 & 2 \end{bmatrix}$ Q.2 **(a)** 03 orthogonal? If not, can it be converted into an orthogonal matrix? (b) Solve the following system: x + y + z = 3, x + 2y - z = 4, x + 3y + 2z = 4. 04 Find the rank of the matrix  $A = \begin{bmatrix} 1 & 2 & 4 & 0 \\ -3 & 1 & 5 & 2 \\ -2 & 3 & 9 & 2 \end{bmatrix}$ (c)(i) 03 Find the inverse of  $A = \begin{bmatrix} 3 & -3 & 4 \\ 2 & -3 & 4 \\ 0 & -1 & 1 \end{bmatrix}$  using row operations. (ii) 04 Does  $W = \{(x, y, z) / \chi^2 + y^2 + z^2 = 1\}$  a subspace of  $\mathbb{R}^3$  with the standard 03 Q.3 (a) operations? 04 Find the projection of  $\overline{u} = (1, -2, 3)$  along  $\overline{v} = (2, 5, 4)$  in  $\mathbb{R}^3$ . (b) Find the eigen values and eigen vectors of the matrix  $A = \begin{bmatrix} 3 & 1 & 4 \\ 0 & 2 & 6 \\ 0 & 0 & 5 \end{bmatrix}$ (c) 07 **Q.4** solution for (a) Find the least square the system 03  $4 \chi_1 - 3 \chi_2 = 12, 2 \chi_1 + 5 \chi_2 = 32, 3 \chi_1 + \chi_2 = 21.$ (b) Determine the dimension and basis for the solution space of the system 04  $x_1 + 2x_2 + x_3 + 3x_4 = 0, 2x_1 + 5x_2 + 2x_3 + x_4 = 0, x_1 + 3x_2 + x_3 - x_4 = 0.$ (c) Check whether  $V = \mathbf{R}^2$  is a vector space with respect to the operations 07  $(\mu_1, \mu_2) + (\nu_1, \nu_2) = (\mu_1 + \nu_1 - 2, \mu_2 + \nu_2 - 3)$ and  $\alpha(\boldsymbol{\mathcal{U}}_1,\boldsymbol{\mathcal{U}}_2) = (\alpha \boldsymbol{\mathcal{U}}_1 + 2\alpha - 2, \alpha \boldsymbol{\mathcal{U}}_2 - 3\alpha + 3), \alpha \in \mathbb{R}.$ (a) Consider the inner product space  $P_2$ . Let  $p_1 = a_2 x^2 + a_1 x + a_0$  and Q.5 03  $\overline{p}_2 = b_2 x^2 + b_1 x + b_0$  are in  $P_2$ , where  $\langle \overline{p}_1, \overline{p}_2 \rangle = a_2 b_2 + a_1 b_1 + a_0 b_0$ .

Find the angle between  $2\chi^2 - 3$  and 3x + 5.

**(b)** 

Q.7

Find the rank and nullity of the matrix 
$$A = \begin{bmatrix} 2 & 0 & -1 \\ 4 & 0 & -2 \\ 0 & 0 & 0 \end{bmatrix}$$
 and verify the

dimension theorem.

- $T: \boldsymbol{R}^2 \to \boldsymbol{R}^3$ 07 (c) be the Let linear transformation defined by  $T(\chi_1, \chi_2) = (\chi_2, -5\chi_1 + 13\chi_2, -7\chi_1 + 16\chi_2).$  Find the matrix for the transformation T with respect to the bases  $B = \{(3,1), (5,2)\}$  for  $R^2$ and  $B' = \{(1,0,-1), (-1,2,2), (0,1,2)\}$  for  $R^3$ .
- **Q.6** (a) Find the arc length of the portion of the circular helix  $\overline{r}(t) = \cos t i + \sin t j + t k$  03 from t=0 to  $t=\pi$ .
  - (b) A vector field is given by  $\overline{F} = (\chi^2 + x y^2)i + (y^2 + \chi^2 y)j$ . Show that  $\overline{F}$  is 04 irrotational and find its scalar potential.
  - (c)(i) Let  $\mathbb{R}^3$  have the Euclidean inner product. Transform the basis {(1,1,1),(1,-05,2,1),(1,2,3)} into an orthogonal basis using Gram-Schmidt process.

(ii) Express the following quadratic form in matrix notation: 02  

$$2\chi^2 + 5\chi^2 - 6\chi^2 - 2xy - yz + 8zx.$$

(a) If 
$$\phi = xyz - 2y^2z + x^2z^2$$
, find  $div(grad\phi)$  at the point (2,4,1). (3)

(b) Use Green's theorem to evaluate  $\oint_C [\chi^2 y dx + \gamma^3 dy]$ , where C is the closed path 04

formed by y=x and  $y = \chi^{3}$  from (0,0) to (1,1).

(c) Verify Stoke's theorem for  $\overline{F} = (y-z+2)i + (yz+4)j - xzk$  over the surface 07 of the cube x=0, y=0, z=0, x=2, y=2, z=2 above the xy - plane.(that is open at bottom)

\*\*\*\*\*