GUJARAT TECHNOLOGICAL UNIVERSITY BE - SEMESTER-III • EXAMINATION – WINTER • 2014

Subject Code: 2130602 Date: 30-1			2-2014	
-	e: 02. ctions		: 70	
	2.	Attempt all questions. Make suitable assumptions wherever necessary. Figures to the right indicate full marks.		
Q.1	(a)	 Write statements of the following: (i). Hydrostatic law (ii). Pascal's law (iii). Bernoulli's theorem (iv). Newton's law of viscosity (v). Archimedes principle for the buoyant force 	05	
	(b)	 Define the following terms: Metacentric height, Kinematic viscosity, Surface tension, Velocity potential function and Reynolds number. 	05	
		 Differentiate between the following in brief: Rotational flow and Irrotational flow Laminar flow and Turbulent flow Compressible flow and Incompressible flow Uniform flow and Non-uniform flow 	04	
Q.2	(a)	Derive expressions for total force and centre of pressure on a vertical plane surface submerged in static liquid.	07	
	(b)		07	
	(b)		07	
Q.3	(a)	Derive Bernoulli's equation for incompressible fluid flow. State	07	
	(b)	assumptions made in the derivation. For a fluid flow, velocity components in x and y directions are $u = 2xy$ and $v = x^2 - y^2 + 4$ respectively. Show that the components represent a possible case of fluid flow. Derive stream function and the flow rate between the stream lines corresponding to points (1, 0) and (1, 1). OR	07	
Q.3	(a) (b)	Derive equation for rate of flow through the venturimeter. A sharp-edged orifice of 125 mm diameter is fixed on vertical side of a tank under a constant head of 9 m. The orifice is discharging water at a rate of 105 liters/sec. A point on the jet has horizontal and vertical coordinates of 4.25 m and 0.55 m respectively, which are measured from the <i>vena contracta</i> . Calculate coefficient of velocity, coefficient of discharge and coefficient of contraction. Also estimate area of the jet at	07 07	

the vena contracta.

- Q.4 (a) Derive equation for discharge over a rectangular weir. Also explain 07 significance of velocity of approach.
 - (b) 1) Calculate capillary effect in a glass tube of 3 mm diameter when **04** immersed in (i) water and, (ii) mercury (specific gravity = 13.6) at temperature of 20° C. The surface tension of water and mercury at temperature of 20° C are 0.074 N/m and 0.52 N/m. The contact angles water and mercury are 0° and 130° respectively. Take specific weight of water at 20° C as equal to 9.8 KN/m³.
 - 2) Define compressibility of a fluid. When the pressure of liquid is increased to 7.5×10^3 KN/m² from 4×10^3 KN/m², its volume is **03** found to reduce by 0.075 percent. Calculate the bulk modulus of elasticity of the liquid.

OR

- Q.4 (a) Differentiate between a stream lined body and a bluff body. Prove that 07 the coefficient of drag for the drag on sphere is given by $C_D = 24/Re$, when Re (Reynolds' number) ≤ 0.2 .
 - (b) Experiments on a flat plate of 1 m length and 0.5 m width were 07 conducted in a wind tunnel in which wind was blowing horizontally at a speed of 60 Km/hour. The plate was kept at such an angle that the coefficients of drag and lift were 0.2 and 0.88 respectively. Calculate, (i) drag and lift forces, (ii) resultant force and its direction and, (iii) power exerted by the air stream on the plate. Take specific weight of air equal to 11.28 KN/m³.
- Q.5 (a) Derive equation for sonic velocity of sound wave in a compressible fluid 07 in terms of the bulk modulus of elasticity of the fluid medium.
 - (b) An aeroplane is flying at 950 Km/hour through still air having an 07 absolute pressure of 80 KN/m² and temperature -7° C. Calculate stagnation pressure, stagnation temperature and stagnation density, on the stagnation point on the nose of the plane. Take R = 287 J/ Kg K and $\gamma = 1.4$ for air.

OR

- Q.5 (a) Derive continuity equation for three dimensional incompressible flow. 07
 - (b) (i). An inverted differential manometer, having an oil of specific 04 gravity 0.8 as manometric liquid, is connected two pipes A and B which are at same level and both carrying water. Level of the oil in left limb is 0.2 m above centre of pipe A and, level of the oil in right limb is 0.45 m above centre of pipe B. Calculate difference in pressure between the two pipes.
 - (ii). A solid cylinder having 1.5 m diameter and 2 m height is floating 03 in water with its axis vertical. If the specific gravity of material of cylinder is 0.85, calculate metacentric height and state whether the equilibrium is stable or unstable.

