| Seat No.: | | | |
|-----------|--|--|--|

Enrolment No.

GUJARAT TECHNOLOGICAL UNIVERSITY

ME – SEMESTER I (NEW) EXAMINATION – SUMMER 2017

Subject code: 2714303 Date:10/05/2017

Subject Name: Theory of Elasticity & Plasticity

Time:02:30 p.m. to 05:00 p.m. Total Marks: 70

Instructions:

- 1. Attempt all questions.
- 2. Make suitable assumptions wherever necessary.
- 3. Figures to the right indicate full marks.
- Q.1 (a) State the important observation made in equilibrium approach and derive its general equation to get critical load for end condition as both end fixed.
 - (b) Discuss energy approach for stability of columns & derive the general **07** equation to get critical load P using energy approach. ($P_{cr}=\beta l$, $\Delta v=\Delta T$)
- Q.2 (a) Derive the basic differential equation for equilibrium in Cartesian coordinate system.
 - (b) Is the following 2-D state of plane strain is possible? Check. $\epsilon_X = 7x^2y 3x^2 + 7xy^2 + 9$ $\epsilon_Y = 9x^3 + 8xy + 2x^2 + 8$ $\epsilon_{XY} = \frac{1}{2}\gamma_{XY} = 17x^2y + 2xy + 15$

OR

- (b) Show that the following 2-D state of stresses without body forces is in equilibrium:
 - $\sigma_X = 3x^2 + 9xy + 10y^2$ $\sigma_Y = 7x^2 + 8xy + 3y^2$ $\tau_{XY} = -4x^2 6xy 4.5y^2$
- Q.3 (a) Derive the basic differential equation for beam column subjected to axial 07 compressive force P and distributed load of intensity Q.
 - (b) Discuss the principle of imperfection approach for stability of column and derive the equation for critical load for end condition as one end fixed and one end free.

OR

- Q.3 (a) Define co-efficient of end restrained using beam column theory. Derive basic equations for statically indeterminate beam column with elastic restraints.
 - (b) Derive the standard equation for bucking of frames to get critical load. Use **07** symmetrical bucking.
- Q.4 (a) Explain Airy's stress function for a circular plate with hole.
 - (b) A cylinder 100 mm Φ (internal) is subjected to an internal pressure 60 **0**4 MPa. There is no external pressure. If the allowable stress in the metal is 160 Mpa, calculate external diameter.

OR

- Q.4 (a) For the following state of stresses, find the principal stresses. Normal stresses: $\sigma_{xx} = 450$ MPa, $\sigma_{yy} = -90$ MPa, $\sigma_{zz} = -50$ MPa, and Shear stresses: $\tau_{xy} = 90$ MPa, $\tau_{yz} = -50$ MPa, $\tau_{zx} = 20$ MPa,
 - (b) Locate principal planes and obtain principal strains at point (3, -1) for the 07 following system of strains:

$$\begin{split} &\epsilon_X=x^3y+5x^2+3x^3+2y^3+12\\ &\epsilon_Y=x^2+3y^2+2x^4+5y^3\\ &\gamma_{XY}=3x^2+y^2-1/\!\!\!/2\;x^4+y^4\;\text{where strains are in nm and }x\;\text{and }y\;\text{in mm}. \end{split}$$

- **Q.5** (a) Find the linear strains: ε_{xx} , ε_{yy} and shear strain: γ_{xy} , as well as state of stresses: σ_{xx} , σ_{yy} and shear strain: τ_{xy} , if the linear strains measured by the strain gauges in the direction are $\varepsilon_{35^{\circ}} = 400 \times 10^{-6}$ (Compressive), $\varepsilon_{70^{\circ}} = 750 \times 10^{-6}$ (Compressive) and $\varepsilon_{130^{\circ}} = 300 \times 10^{-6}$ (Tensile).
 - **(b)** State the differential equation for the case of non-conservative forces for column with one end fixed and one end free condition using static criteria of stability.

OR

- Q.5 (a) Enlist the assumptions involved in the theory of torsion of a long bar, subjected to twisting moment: T. Also, write steps in deriving the equation: $\nabla^2 (\phi) = -2G\theta$ with usual notations
 - (b) Derive general equation of deflection to study initial effect of curvature 07 using imperfection approach.